

Labino® Torch Light UVG2 Floodlight



MAKES IT BRIGHT

365 nm | >2 500 µW/cm² | 15 cm Light Beam

- The Labino® Torch Light^{UVG2} is a small-sized, lightweight, UV-A LED flashlight designed for quick inspections and “hard-to-reach” spots.
- The lamp measures 15.9 cm long (6.3 inches) and weighs 211 gram (7.4 oz), battery included.
- The Labino® Torch Light – UVG2 Floodlight produces a wide ultraviolet beam. The centre of the light beam is 150 mm (5.9 inches) at a distance of 38 cm and it measures over 2 500 µW/cm² at a distance of 38 cm (15 inches).
- The Labino® Torch Light^{UVG2} contains one (1) ultraviolet light emitting diode (LED). The LED creates UV light that peaks at 365 nm making it suitable for industrial, leakage and security applications.
- Full power is reached instantly. The on/off button is positioned at the back of the lamp to prevent accidental activation.
- Fully charged, the battery provides up to 3 hours of use. Recharge from a normal outlet or vehicle with included chargers. The kit also includes an extra battery.



TECHNICAL SPECIFICATION

UV LED

- UV source: UV A LED (1)
- Intensity: >2500 µW/cm² at 38 cm (15 inches)
- Visible light: < 2 Lux¹
< 0.18 Foot candle¹
- Wave length: 365 nm
- Distribution angle (beam): Floodlight
- Distribution angle (beam): 15 °
- Light beam (size): 150 mm (5.9 inch)

Battery

- 2200 mAh Lithium-Ion, 3.7 volts
- Running time: approx. 3 hrs
- Charging time: approx. 8 hrs
- Requires one (1) battery to operate

Charger

- One (1) 100-240 VAC charger for use from electrical outlet
- One (1) 12 V charger for use in vehicle via cigarette lighter connection
- Capacity: two batteries can be charged simultaneously

Dimensions

- Length: 15.9 cm (6.3 inches)
- Weight exc. battery: 166 gr (5.8 oz)
- Weight inc. battery: 211 gr (7.4 oz)

The Labino® Torch Light Kit

- UV LED flashlight
- Charger for use from electrical outlet
- Charger for use in vehicle via cigarette lighter connection
- Two (2) batteries (1+1 extra)
- Belt holster
- Carrying case (optional)
- UV Block glasses (only included with carrying case)

Certificate

- All components included in the Labino Torch Light lamp are RoHS certified according to 2002/95/EG

¹ The standard EN 3059 5.2 and ISO 9934-3 recommend to use a UV-block filter on the sensor of the Visible light meter eliminating all UV (below 380 nm) to get the accurate amount of visible light.

DISTRIBUTOR:

ADVANCED NDT LTD

www.advanced-ndt.co.uk

Advanced NDT Limited

Orchard House, Orchard Close
Savern Stoke, Worcester, WR8 9JJ, England
Tel: 01905 371460 Fax: 01905 371477
Web: www.advanced-ndt.co.uk
Email: sales@advanced-ndt.co.uk

Labino AB shall not be held liable for any errors or omissions resulting from the test procedures that were used in validating performance of any Labino AB product nor for unforeseen errors or omissions in digital or printed material.

Labino® Torch Light *UVG2 Midlight*



MAKES IT BRIGHT

365 nm | >8 000 µW/cm² | 10 cm Light Beam

- The Labino® Torch Light^{UVG2} is a small-sized, lightweight, UV-A LED flashlight designed for quick inspections and “hard-to-reach” spots.
- The lamp measures 15.9 cm long (6.3 inches) and weighs 211 gram (7.4 oz), battery included.
- The Labino® Torch Light – UVG2 produces a wide ultraviolet light beam measuring over 8000 µw/cm² at a distance of 38 cm (15 inches). The centre of the light beam is 100 mm (3.9 inches) at a distance of 38 cm.
- The Labino® Torch Light^{UVG2} contains one (1) ultraviolet light emitting diode (LED). The LED creates UV light that peaks at 365 nm making it suitable for industrial, leakage and security applications.
- Full power is reached instantly. The on/off button is positioned at the back of the lamp to prevent accidental activation.
- Fully charged, the battery provides up to 3 hours of use. Recharge from a normal outlet or vehicle with included chargers. The kit also includes an extra battery.



TECHNICAL SPECIFICATION

UV LED

- UV source: UV A LED (1)
- Intensity: > 8 000 µw/cm² at 38 cm (15 inches)
- Visible light (in the center):
 - < 5 Lux¹
 - < 0.46 Foot candle¹
- Wave length: 365 nm
- Distribution angle (beam): Midlight
- Distribution angle (beam): 10 °
- Light beam (size): 100 mm (3.9 inch)

Battery

- 2200 mAh Lithium-Ion, 3.7 volts
- Running time: approx. 3 hrs
- Charging time: approx. 8 hrs
- Requires one (1) battery to operate

Charger

- One (1) 100-240 VAC charger for use from electrical outlet
- One (1) 12 V charger for use in vehicle via cigarette lighter connection
- Capacity: two batteries can be charged simultaneously

Dimensions

- Length: 15.9 cm (6.3 inches)
- Weight exc. battery: 166 gr (5.8 oz)
- Weight inc. battery: 211 gr (7.4 oz)

The Labino® Torch Light Kit

- UV LED flashlight
- Charger for use from electrical outlet
- Charger for use in vehicle via cigarette lighter connection
- Two (2) batteries (1+1 extra)
- Belt holster
- Carrying case (optional)
- UV Block glasses (only included in kit with carrying case)

Certificate

All components included in the Labino Torch Light lamp are RoHS certified according to 2002/95/EG

¹ The standard EN 3059 5.2 and ISO 9934-3 recommend to use a UV-block filter on the sensor of the Visible light meter eliminating all UV (below 380 nm) to get the accurate amount of visible light.

DISTRIBUTOR:

ADVANCED NDT LTD

www.advanced-ndt.co.uk

Advanced NDT Limited

Orchard House, Orchard Close
Severn Stoke, Worcester, WR8 9JJ, England

Tel: 01905 371460 Fax: 01905 371477

Web: www.advanced-ndt.co.uk

Email: sales@advanced-ndt.co.uk

Labino AB shall not be held liable for any errors or omissions resulting from the test procedures that were used in validating performance of any Labino AB product nor for unforeseen errors or omissions in digital or printed material.

www.advanced-ndt.co.uk

www.labino.com

sales@advanced-ndt.co.uk

Labino® Torch Light UVG2 Spot Light



MAKES IT BRIGHT

365 nm | >12 000 µW/cm² | 211 gram

- The Labino® Torch Light^{UVG2} is a small-sized, lightweight, UV-A LED flashlight designed for quick inspections and “hard-to-reach” spots.
- The lamp measures 15.9 cm long (6.3 inches) and weighs 211 gram (7.4 oz), battery included.
- The Labino® Torch Light – UVG2 produces a narrow intense ultraviolet beam measuring over 12 000 µw/cm² at a distance of 38 cm (15 inches). The centre of the light beam is 30 mm (1.2 inches) Ø and the whole light beam is 70 mm (2.8 inches) Ø, at a distance of 38 cm.
- The Labino® Torch Light^{UVG2} contains one (1) ultraviolet light emitting diode (LED). The LED creates UV light that peaks at 365 nm making it suitable for industrial, leakage and security applications.
- Full power is reached instantly. The on/off button is positioned in the back of the lamp to prevent accidental activation.
- At full charge the battery provides up to 3 hours of use. Recharge from a normal outlet or vehicle with included chargers. The kit also includes an extra battery.



TECHNICAL SPECIFICATION

UV LED

- UV source: UV A LED (1)
- Intensity: >12 000 µw/cm² at 38 cm (15 inches)
- Visible light: < 20 Lux
<1.86 Foot candle
- Wave length: 365 nm
- Distribution angle (beam): spotlight

Battery

- 2200 mAh Lithium-Ion, 3.7 volts
- Running time: approx. 3 hrs
- Charging time: approx. 8 hrs
- Requires one (1) battery to operate

Charger

- One (1) 100-240 VAC charger for use from electrical outlet
- One (1) 12 V charger for use in vehicle via cigarette lighter connection
- Capacity: two batteries can be charged simultaneously

Dimensions

- Length: 15.9 cm (6.3 inches)
- Weight exc. battery: 166 gr (5.8 oz)
- Weight inc. battery: 211 gr (7.4 oz)

The Labino® Torch Light Kit

- UV LED flashlight
- Charger for use from electrical outlet
- Charger for use in vehicle via cigarette lighter connection
- Two (2) batteries (1+1 extra)
- Belt holster
- UV Block glasses
- Carrying case (optional)

Certificate

- All components included in the Labino Torch Light lamp are RoHS certified according to 2002/95/EG

DISTRIBUTOR:

ADVANCED NDT LTD

www.advanced-ndt.co.uk

Advanced NDT Limited

Orchard House, Orchard Close
Severn Stoke, Worcester, WR8 9JJ, England
Tel: 01905 371460 Fax: 01905 371477

Web: www.advanced-ndt.co.uk

Email: sales@advanced-ndt.co.uk

Labino AB shall not be held liable for any errors or omissions resulting from the test procedures that were used in validating performance of any Labino AB product nor for unforeseen errors or omissions in digital or printed material.